

IX.3.1-SYSTEM-WDSCR SUBROUTINE WDSCR

Description

Subroutine WDSCR adds a station to the SASM Control File for the specified user.

The control file contains information about station data to be written to the Preprocessor Data Base (PPDB).

Calling Sequence

```
CALL WDSCR  (USERID,SAID,SMID,PPDBID,DESCRP,STALAT, IDTPP, IDTTA,  
             IPE, ISD, ISW, ISTAT)
```

Argument List

<u>Argument</u>	<u>Input/ Output</u>	<u>Type</u>	<u>Dimension</u>	<u>Description</u>
USERID	Input	A8	1	User identifier
SAID	Input	A8	1	SA identifier for station (blank if not an SA station)
SMID	Input	A8	1	SM identifier for station (blank if not an SM station)
PPDBID	Input	A8	1	PPDB station identifier
DESCRP	Input	A20	1	Station description
STALAT	Input	R*4	1	Station latitude
IDTPP	Input	I*4	1	Precipitation data time interval: 0 = no precipitation data to be transferred 3 = types PP03 and PP24 to be transferred 6 = types PP06 and PP24 to be transferred 24 = only type PP24 to be transferred
IDTTA	Input	I*4	1	Temperature data time interval: 0 = no temperature data to be transferred 3 = types TA03 and TM24 to be transferred 6 = types TA06 and TM24 to be transferred 24 = only type TM24 to be

<u>Argument</u>	<u>Input/ Output</u>	<u>Type</u>	<u>Dimension</u>	<u>Description</u>
				transferred
IPE	Input	I*4	1	Evaporation data indicator: 0 = do not transfer any evaporation data 1 = types TA24, TD24, US24, RC24 and RP24 to be transferred
ISD	Input	I*4	1	Snow depth indicator: 0 = do not transfer snow depth data 1 = transfer snow depth data
ISW	Input	I*4	1	Water-equivalent indicator: 0 = do not transfer snow water- equivalent data 1 = transfer water-equivalent data
ISTAT	Output	I*4	1	Status code: 0 = okay 1 = system error accessing file 2 = USERID and PPDBID already exists